

Single-Window Hub

and Virtuous Environmental



Government of India Ministry of Environment, Forest and Climate Change (Issued by the State Environment Impact Assessment Authority(SEIAA), Maharashtra)

To,

The Partner

D R GAVHANE LANDMARKS LLP

Sr. No. 690/1A/1/1/, KBG Classic, Above P N Gadgil, Pune- Nashik Road, Bhosari, Pune. -411039

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity

under the provision of EIA Notification 2006-regarding

Sir/Madam.

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MH/MIS/262339/2022 dated 17 Mar 2022. The particulars of the environmental clearance granted to the project are as below.

1. EC Identification No.

2. File No.

3. **Project Type**

4. Category

5. Project/Activity including Schedule No.

6. Name of Project EC22B038MH144366

SIA/MH/MIS/262339/2022

Expansion7

B2

8(a) Building and Construction projects

"Residential and Commercial (Mixed Use) Development" by M/s D. R. Gavhane

Landmarks LLP

Name of Company/Organization 7.

8. **Location of Project**

9. **TOR Date** D R GAVHANE LANDMARKS LLP

Maharashtra

N/A

The project details along with terms and conditions are appended herewith from page no 2 onwards.

(e-signed) Manisha Patankar Mhaiskar Date: 09/06/2022 **Member Secretary** SEIAA - (Maharashtra)



Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH.Please quote identification number in all future correspondence.

This is a computer generated cover page.

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/MIS/262339/2022 Environment & Climate Change Department Room No. 217, 2nd Floor, Mantralaya, Mumbai- 400032.

To M/s D. R. Gavhane Landmarks LLP, Plot B- S. No. - 492/1 (P), 492/2 (P), 492/3 (P), 493/1 (P), 493/2 (P), 494/1 (P), 494/2 (P), and Amenity Plot- S. No. - 494/1 (P) & 494/2 (P), Charholi Budruk, Tal. - Haveli, Dist. Pune

Subject: Environmental Clearance for Residential and Commercial (Mixed Use)

Development at Plot B- S. No. - 492/1 (P), 492/2 (P), 492/3 (P), 493/1

(P), 493/2 (P), 494/1 (P), 494/2 (P), and Amenity Plot- S. No. - 494/1 (P) & 494/2 (P) Charholi Budruk, Tal. - Haveli, Dist. Pune by M/s D. R.

Gavhane Landmarks LLP

Reference: Application no. SIA/MH/MIS/262339/2022

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-3 in its127th & 138th meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 234th & 243rd (Day-1) meeting of State Level Environment Impact Assessment Authority (SEIAA).

2. Brief Information of the project submitted by you is as below: -

1.	Proposal Number	SIA/MH/MIS/212304/2021				
		"Residential and Commercial (Mixed Use) Development" by				
2.	Name of Project	M/s D R Gavhane Landmarks LLP through Mr. Amit Damodar Gavhane				
3.	Project category	8a (B2)	Control of the Contro			
4.	Type of Institution	Private	20 d 100			
	Project Proponent	Name	Mr. Amit Damodar Gavhane			
		Regd. Office address	Sr. No. 690/1A/1/1/1, KBG Classic,			
5.			Above P N Gadgil, Pune Nashik Road,			
).			Bhosari, Pune, Maharashtra. 411039			
		Contact number	9130045925			
		e-mail	amit.drgl@gmail.com			
6.	Consultant	NABET accredite	ed consultant			
7.	Applied for	Amendment in Existing EC				
8.	Details of previous EC	vide letter No.: SEIAA-EC-0000002244 on 25th March, 2020				
9.	Logation of the project	Plot 'B': S. No 492/1 (P), 492/2 (P), 492/3 (P), 493/1 (P),				
9.	Location of the project	493/2 (P), 494/1 (P), 494/2 (P), and 'Amenity Plot': S. No				

	T		101/1	(D) & 404/2 (D)	Charbali Dudmi	r Tal L	loveli Dist			
İ			494/1 (P) & 494/2 (P), Charholi Budruk, Tal Haveli, Dist				lavell, Dist			
				Latitude: 18°39'51.85"N						
10	Latitude and	l Longitude		Latitude: 18°39'51.85"N Longitude: 73°53'47.50"E						
11	Total Plot A	rea (m²)	17,291							
	Deductions			of the state of th						
	Net Plot are		14,930							
	Proposed FS		31089.							
14	Proposed no		31089.	O4						
15	(m ²)	m-r Sr area	13,512	13,512.00						
16	Proposed TI	BUA (m²)	44,601	.64						
17	TBUA (m²)	approved by	·		d by PCMC vide 21 Dated 26/10/2		•			
18	Planning Au	thority till date	1.3 (600.00) 100.00	A STATE STANSON N	24 280,000 000	TEL 169	IC)			
		rage (m2) & %		57 sq. m & 16%	7.5 10.10					
	Total Projec		AND A SUPERIOR OF A	92,731.00 (66.7	The second of th					
	CER as per N	and the state of t		1997/07	2% of Project	cost is R	s. 133.5/-			
21	circular dated	Terroritarina Terrena Guis (1880) barrio (1887)	Lakh)							
	Selection of a second	uilding Config	 4 - 1 - 100 (100 (100 (100 (100 (100 (100			74.	Reason for			
	\$ 586 SEVEL SO	ollowing legend	77527 33	= F, Parking = P	k, Podium = Po,	Stilt	Modificatio			
	=St, Lower Ground = LG, Upp						n /			
		C / Existing B				Change				
	Building			Building #	Configuratio	Height				
	Name	n	(m)	Name	n	(m)				
				Bldg. A, 1			Due to			
	Bldg. A 1, 1	G+8	26.85	number	P + 12	39	change in			
25/2	number			(Residential)			Planning			
	Dida D 1 1		dia a MAN	Bldg. B, 1		39	Due to			
1	Bldg. B 1, 1	G+4	16.30	number	P+12		change in			
	number			(Residential)			Planning			
				Bldg. C, 1			Due to			
22	Bldg. C, 1		26.75	number	L.GR.+U.GR	42.30	change in			
İ	number		20.73	(MHADA+	+12		Planning			
				Commercial)						
	Bldg. D, 1	P+8	Paradoj popije i	Bldg. D, 1	L.GR.+U.GR	15	Due to			
	number		26.75	number	+3		change in			
	number			(Commercial)			Planning			
	Bldg. E, 1			Bldg. E, 1	B+L.GR.+U.	13.5	Due to			
	number	P + 8	26.75	number	GR+3		change in			
	number			(Amenity)			Planning			
1.	Bldg. F, 1				Gr. + 1	7.2	Due to			
	number []	P + 8	26.75	Club House			change in			
							Planning			
	Parking	B + 8	3.75			1.	Layout			
	Building						changed so			

							building	
						_	cancelled	
23.	Total number of te	enements	3	• Tenements: 32 • Total No. of Shop			208	
		Dry Season (CMD)			Wet Season (CMD)			
		Fresh Water Recycled (Gardening)		Residential: 145.80 Commercial: 24.39 Total: 170	Fresh Water	Residential: 145.80 Commercial: 24.39 Total: 170		
				24 ************************************	Recycled (Gardening)	NA	NA	
24.	Water Budget	Swimming Pool		NA S	Swimming Pool	NA	NA	
	Watch Dudget	(Recycled)		Residential: 72.90 Commercial: 30.48 Total: 103	Flushing (Recycled)	Residential: 72.90 Commercial: 30.48 Total: 103		
		Total		297	Total	273		
		Waste w generation	ater (246 (residential commercial) (Excess treated wate to be disposed- 107)	Waste water generation	comn (Exce		
25.	Water Storage Capacity for Firefighting / UGT	Fire UG	i tank	Capacity (cum): 32	25			
26.	Source of water	Pimpri C	Chinchy	wad Municipal Corpo	ration (PCMC)	16		
		Level of the Ground water table:			Post Monsoon- 5 to 6 m BGL Pre-Monsoon- 12 to 15 m BGL			
- 2	Rainwater Harvesting (RWH)	Size and no of RWH ta and Quantity:		f RWH tank(s)	NA			
27.		Quantity and size of recharge pits:			09 nos. of pits of 15 m depth Size: 2 m X 1 r		_	
		[arvesting			Domestic UG tank Capacity (cum) Residential UGWT Capacity: 220			
				Γ tanks if any:	Commercial U 75 Total: 295 KI Flushing tank Residential U 72.9	LD Capa	city(cum):	

					A TROTTING
					Commercial UGWT Capacity:
					30.48
		·			Total: 103.38
		Sewage generation in CMD:		Residential + Commercial: 246	
28.	Sewage and	STP technology:		Residentia	l + Commercial: MBBR
	Wastewater	Capacity of STP			
		(CMD): Residential ar		· Josephan	and Commercial: 270 KLD
		Type Quant		ntity (kg/d)	Treatment / disposal
		Dry waste:		16	Collected by Ghanta gadi
	~ 1:1 T Y	Wet waste:	, HKIMA	24	Collected by Ghanta gadi
	Solid Waste		J 0850-5	La California	2,460 m ³ topsoil will be used
	Management		797A		for landscaping rest of 2659
29.	during		Exca	vated material	m ³ will be store at adjacent
	Construction	Construction	Telephone	construction	plot. All excavated material
	Phase	waste	activ	오르다는 어떻게 들었다면 하다 하다	will be reused for ground
			acti v	10,	filling, leveling and internal
					roads at construction site.
				44-7-7-74	- Mark
		Type		ntity (kg/d)	Treatment / disposal
		Residential: 324		Prisia	
	Solid Waste	kg/day			Will be handed over to
•		Dry waste: Commercial: 183			authorized agency
			kg/d	No. of the second	
-			Tota	ıl: 507 kg/day	
			Resi	idential: 486	
			kg/d	lay	Treated in OWC machine
		Wet waste:	Con	nmercial: 122	within site
30	Management		kg/d	lay	i wiunii sie
1000 2004	during Operation Phase		Tota	al: 608 kg/da	
		Hazardous	ao i nii		
		waste:	NA		NA
		Biomedical			
		waste	NA		NA NA
		wasee and a second	Wasic the same of the same same same		Will be handed over to
1		E-Waste	6 Kg	g/day	authorized agency
		CTD Cl. 1	CED CL 1		Used as Manure and rest will
		STP Sludge 30 Kg		(g/day	
		(dry)		1 등 당 동기 동기별 -	be handed over to nursery
		Total RG area (m ²):			Required RG area: 2,427.13
					m ²
31	Green Belt	Existing trees on plot:			NA
31	Development	Number of trees to be planted:			304
		Number of trees to be cut:			NA
		Number of trees to be transplanted:			NA
	Power	Source of power	r supi	ply:	MSEDCL
32	requirement:	During Constru			and 75 KW
	1-24	1			

	<u> </u>	Load):				11-1-		
			Operati	on phase (Connect	ed 2218 KW			
	·	load):	Орстан					
		During	Operati	on phase (Demand	1287 KW	1287 KW		
		load):						
		Transfo	rmer		1) 2 Nos.	1) 2 Nos. of 630 KVA		
						2) 1 Nos. of 315 KVA		
		DG set:		grade a series (1.1.a.)	1 '	of 160 KVA		
			<u>oo yaar f</u>			of 82.5 KVA		
	, ·	Fuel use			HSD			
				vation Measures in		•		
33.	Details of	10.5		Panel power for com		-		
33.	Energy saving	1		er Logic Controller of V3F Drive for Eleva		imon lighting		
	#### 	A 4 4	1 - 1 - Walt 1		aiors			
		Туре	Details	vered Water Heater		Cost (Rs. in Lakh)		
	Environmental			ter, land, biological e	nvironment	Cost (Rs. III Lakii)		
3/1	Management plan budget during	Capital	The second secon	ioeconomic environi		8.36		
]] ,	Construction							
	phase	O&M	Air, wa	ter and Noise Monito	oring	1.08		
	Environmental	Component Details			Capital (Rs.	Och (Do in		
				Details	in Lakh)	O&M (Rs. in Lakh /Y)		
		Storm Water				2		
		Sewage						
		treatment		STP	37	9.75		
jas (j.		RWH		Recharge pits	9	4.50		
est Lan		Solid W	aste	OWC	18.76	10.545		
		Swimm Pool	ing					
		Hazardous			- 1111	:		
	Management plan	waste		Handed over to	y 19			
35.	Budget during			Authorized	And the second			
	Operation phase	Waste		agency	The second second			
į		Green B		=		· · · · · · · · · · · · · · · · · · ·		
		Develop		Landscape development	27.10	5.56		
		Develop		<u>-</u>				
		Energy saving		Solar water	45.22	1.40		
				heating + Solar PV	45.33	1.49		
		Environmental Monitoring			MoEF&CC			
				EMP costing	approved	8.36		
					laboratory			
		Disaster	•	DMP Budgetary	266.39	46.105		
		l				L		

		Management	Allocation		
		Туре	Required as per DCR	Actual Provided	Area per parking (m ²)
36.	Traffic Management	4-Wheeler	239 NOS	239 NOS	For Car: 12.50 m
- 12 - 1		2-Wheeler	1223 Nos.	1223 Nos.	For Scooter: 2 m

3. Proposal is an expansion of existing construction project. PP had obtained earlier EC dated 25.03.2020 for total BUA of 48375.05 m2. Proposal has been considered by SEIAA in its 234th & 243rd (Day-1) meeting and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

- 1. It is noted that, the project will have the potable water through tankers; PP to add this information in his all documents like RERA, Advertisement of the project, agreement etc. Also PP to submit the water tanker agreement. Local body to ensure that, No Occupation Certificate should be issued unless project have sustainable water supply.
- 2. PP to submit the UGT section details.
- 3. PP to submit the refugee area calculations for south-west & north-west side.
- 4. PP to submit HT Line NOC from MSETCL.
- 5. PP to provide minimum 30% of total parking arrangement with electric charging facility by providing charging points at suitable places.

B. SEIAA Conditions-

- 1. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
 - 2. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
 - 3. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
 - 4. SEIAA after deliberation decided to grant EC for FSI-31089.64 m2, Non-FSI-13,512.00 m2, Total BUA-44,601.64 m2. (Plan approval-BP/Environment/Charoholi/03/2021, dated-26.10.2021).

General Conditions:

a) Construction Phase:-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during

- construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
 - IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
 - X. The Energy Conservation Building code shall be strictly adhered to.
 - XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas)

 Protection and Preservation of Trees Act, 1975 as amended during the validity of
 Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XVII. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVIII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.

- XIX. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- XX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
 - V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
 - IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
 - X. Separate funds shall be allocated for implementation of environmental protection

- measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://parivesh.nic.in
- XII. Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
- XIII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIV. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental

protection measures required, if any.

- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
- 6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
- 8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Manisha Patankar Mhaiskar (Member Secretary, 32, 24)

Copy to:

- 1. Chairman, SEIAA, Mumbai.
- 2. Secretary, MoEF & CC, IA- Division MOEF & CC
- 3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
- 4. Regional Office MoEF & CC, Nagpur
- 5. District Collector, Pune.
- 6. Commissioner, Pimpri Chinchwad Municipal Corporation
- 7. Regional Officer, Maharashtra Pollution Control Board, Pune.